

## **Product Safety Data Sheet**

Document Code:	30530 - SD AU	Version:	8.0
Description:	POC Glen 20 SS Disinfectant Aerosol	Status:	Published
Revision Reason:	Add Customer code for 150g can	Issue Date:	13 Feb 2007

PSDS PAGE 1 OF TOTAL 5					
PRODUCT NAME :	RODUCT NAME : Pine O Cleen Glen 20 Surface Spray Disinfectant Aerosol				
OTHER NAMES :	None				
HAZARDOUS ACCORDING	HAZARDOUS ACCORDING TO CRITERIA OF NATIONAL OCCUPATIONAL HEALTH AND SAFETY COMMISSION				
	COMPANY DETAILS				
AUSTRALIA					
COMPANY: ABN: ADDRESS:	Reckitt Benckiser (Australia) Pty Limited 17 003 274 655 44 Wharf Road West Ryde NSW 2114				
TELEPHONE:	(02) 9857 2000				
AFTER HOURS EMERGENCY TELEPHONE (5pm to 8am EST Australia): (02) 9857 2444					
NEW ZEALAND					
COMPANY: ADDRESS:	Reckitt Benckiser (New Zealand) Limited Lincoln Manor 289 Lincoln Road Henderson Auckland 1231				
TELEPHONE:	(09) 839 0200				

	1. PRODUCT			
PRODUCT NAME :	Pine O Cleen Glen 20 Surface Spray	Disinfectant Aerosol		
OTHER NAMES :	None			
PRODUCT CODE :	0100540Country Scent150g008105Original Scent175g008106Fresh Scent175 g008107Country Scent175 g008108Crisp Linen175 g008109Original Scent300 g008110Country Scent300g008111Crisp Linen300g			
UN NUMBER :	1950 (AEROSOLS)			
DANGEROUS GOODS CLAS	S: 2.1			
SUBSIDIARY RISK :	None allocated			
HAZCHEM CODE :	None allocated			
SUSDP:	None allocated			
PACKAGING GROUP :	None allocated			
POISONS SCHEDULE NUME	BER : Not scheduled			
USE :	Surface spray disinfectant.			
	2. COMPOSITION			
Chemical Name	CAS No	Proportion (%w/w)		
Ethanol Hydrocarbon propellant <sup>1</sup> Other ingredients classified as not hazardous according to N		30 - 60 10 - <30 to 100		
<sup>1</sup> Our supplier of butane has provided	documentation stating that the butane component contains	s less than 0.1%w/w 1,3 butadiene.		
	3. HAZARDS IDENTIFICATION			
Eye Contact	Irritant			
Skin Contact	None			
Inhalation	None			
Ingestion	None			
HEALTH EFFECTS				

ACUTE		
Eye	Will cause irritation to the eyes.	
Skin	No effects likely to occur.	
Inhaled	Mists/vapours may cause irritation to the upper respiratory tract and may cause depression of the central nervous system.	
Swallowed	Not a likely route of exposure.	
CHRONIC	The chronic toxicity of this product has not been determined.	
	4. FIRST AID MEASURES	
Eye Contact	Wash eyes with a large quantity of water. If irritation persists, contact a doctor.	
Inhalation	Remove to fresh air. If breathing difficulties are experienced, seek medical attention.	
Ingestion	Give 2 glasses of water to drink. Contact a doctor or a Poisons Information Centre (Australia 13 1126, New Zealand 0800 764 766 or 0800 POISON).	
Advice to Doctor:	Treat symptomatically.	
	5. FIRE-FIGHTING MEASURES	
Specific Dangers	Aerosol cans may explode and rocket with extreme heat.	
Extinguisher Type	Water, carbon dioxide or foam.	
	6. ACCIDENTAL RELEASE MEASURES	
SPILLS	Keep area well ventilated. Remove sources of ignition.	
Minor Spills	Mop up spill and wash area with water and detergent.	
Major Spills	Contain spill. Collect product using a suitable absorbent material such as vermiculite. Shovel material into clean, dry, labelled containers and close lids. Do not allow product to enter waterways.	
	7. HANDLING AND STORAGE	
Handling	Dangerous good class 2.1 (aerosol). Handle accordingly.	
Storage	Dangerous good class 2.1 (aerosol). Store accordingly.	
	8. EXPOSURE AND PERSONAL PROTECTION	

## Exposure Standards

Exposure Standards<sup>1</sup> have been set for the following ingredients:

Ingredient	CAS No.	TW، mg/m <sup>³</sup>	A ppm	STE mg/m <sup>³</sup>	EL ppm	Carcinogen Category	Notices
Butane	106-97-8	1900	800	-	-	_	-
Propane	74-98-6	asphyxiant	-	-	-	-	-
Ethanol	64-17-5	1880	1000	-	-	-	-

TWA = Time Weighted Average STEL= Short Term Exposure Limit <sup>1</sup> Worksafe Australia Exposure Stand	ards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003 1995)]	
Engineering Controls	Keep areas well ventilated. Maintain air concentrations below exposure standards.	
Personal Protection	When handling bulk quantities, wear suitable safety glasses, protective clothing and impervious gloves. Where ventilation is insufficient, a suitable respirator should be worn.	
Flammability	Flammable.	
	9. PHYSICAL AND CHEMICAL PROPERTIES	
Physical State	Aerosol	
Appearance	Mist	
Colour	Colourless	
Boiling Point	0°C (Butane)	
Vapour Pressure	240 kPa at 16°C (Butane)	
Specific Gravity	0.845 at 25°C (Concentrate)	
Flashpoint	-60°C (Butane)	
Solubility in Water	Miscible	
	10. STABILITY AND REACTIVITY	

Stability	Stable under normal conditions.	
Dangerous Reactions	Aerosol cans may explode and rocket when subjected to extreme heat or pressure.	
Decomposition Products	Products may include oxides of carbon and nitrogen.	
	11. TOXICOLOGICAL INFORMATION	

Toxicity		not been determined. The hazard e derived from the known effects of the tions in the product.			
	12. ECOLOGICAL INFORM	IATION			
Ecotoxicity	The ecotoxicity of this product has not been determined.				
	13. DISPOSAL CONSIDER/	ATIONS			
Bulk Quantities	Dispose of according to Local, a relevant authority for details.	State and Federal regulations. Contact			
	14. TRANSPORT INFORM	ATION			
Road Transport Regulations	Dangerous good class 2.1 (ae	rosol)			
Maritime Transport Regulation	ons Dangerous good class 2.1	(aerosol)			
Air Transport Regulations	Dangerous good class 2.1 (ae	rosol)			
	15. REGULATORY INFORM	IATION			
Regulatory Approvals	This product is registered with t (TGA) AUST R 65954 (all va	he Therapeutic Goods Administration riants)			
Hazardous Substances Reg	ulation R36 (Irritating to eyes)	Hazardous.			
	16. OTHER INFORMAT	ION			
AUSTRALIA and NEW ZEAL	CONTACT POINT				
Regulatory, Safety & Environ	mental Services				
From outside Australia	Ph: (61) (2) 9857 2000				
From within Australia	alia Ph: (02) 9857 2000				
available to Reckitt Benckise regarding its correctness or a described herein shall be cre Reckitt Benckiser assume an	r. The information is provided with occuracy. Similarly no warranty exact ated by or inferred from any state y liability for any loss or damage a	e latest and most reliable information nout any warranty, expressed or implied pressed or implied regarding the product ment or omission from this MSDS nor will arising out of the use of this information. It ons for use of this product and to assume			

liability for any loss, damage or expense whatsoever arising out of the product's improper use.

This document is only current on the day of viewing . Printed copies are UNCONTROLLED unless they are part of a Quality / Technical Manual or attached to a letter referring to a Purchase Order Number . END OF DOCUMENT